



Safety Data Sheet
According to COMMISSION REGULATION (EU) 2020/878

Monto - PLASMONT ELASTIC FIBER 502305_800

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier: MONTO - PLASMONT FIBRA ELASTICO
502305_800

Other means of identification:

Irrelevant

1.2 Relevant identified uses of the substance or mixture and uses advised against:

Relevant uses (Consumer use): Surface repair putty Relevant uses (Professional user): Surface repair putty Relevant uses (Industrial user): Surface repair putty Uses advised against: All uses not specified in this section or in section 7.3

1.3 Details of the supplier of the safety data sheet:

PINTURAS MONTO SAU
Carretera de la base militar 11 46163
Marines - Valencia - España Tel.: 961648339 -
Fax: 961648343 sac@montopinturas.com
www.montopinturas.com

1.4 Telephone number that can be called in case of emergency:

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture:

Regulation No. 1272/2008 (CLP): According to the provisions of Regulation No. 1272/2008 (CLP), the product is not classified as a hazardous product.

2.2 Label elements: Regulation No. 1272/2008

(CLP): Hazard statements: Not relevant

Precautionary

statements: P101: If medical advice is needed, have product container or label at hand.

P102: Keep out of reach of children.

P501: Dispose of contents/container in accordance with the selective collection system applied in your municipality.

Additional information:

EUH208: Contains reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction.

2.3 Other hazards:

This product does not contain substances assessed as PBT or vPvB at the limit levels set by the regulation.

Endocrine disrupting properties: The product does not meet the criteria.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances:

Irrelevant

3.2 Mixtures:

Chemical description: Miscellaneous product(s)

Components:

In accordance with Annex II of Regulation (EC) No 1907/2006, the product contains:

**

** Changes from the previous version

CONTINUED ON THE NEXT PAGE



Safety Data Sheet
According to COMMISSION REGULATION (EU) 2020/878

MONTO - PLASMONT ELASTIC FIBER
502305_800

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

** (Continue)

Identification	Chemical name/classification		Concentration
CASE: 55965-84-9 EC: Irrelevant Index: 613-167-00-5 REACH: Irrelevant	reaction mass composed of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)†	ATP ATP13	<1%

† Substance presenting a risk to health or the environment meeting the criteria set out in Regulation (EU) No 2020/878

For further information on the hazardous nature of the substances, see sections 11, 12 and 16.

Other information:

Identification	M-factor	
reaction mass composed of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	Acute	100
CAS: 55965-84-9	Chronic	100
Identification	Specific concentration limit	
reaction mass composed of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	% (w/w) >=0.6: Skin Corr. 1C - H314	
CAS: 55965-84-9	0.06<= % (w/w) <0.6: Skin Irrit. 2 - H315	
EC: Not relevant	% (w/w) >=0.6: Eye Dam. 1 - H318	
	0.06<= % (w/w) <0.6: Eye Irrit. 2 - H319	
	% (w/w) >=0.0015: Skin Sens. 1A - H317	

Acute toxicity estimation for substances included in Part 3 of Annex VI to Regulation (EC) No. 1272/2008 or established in accordance with Annex I to that Regulation:

Identification	Acute toxicity		Gender
reaction mass composed of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	Oral LD50	64 mg/kg	Rat
CAS: 55965-84-9	Dermal LD50	87.12 mg/kg	Rabbit
EC: Not relevant	LC50 inhalation of vapours	Irrelevant	

** Changes from the previous version

SECTION 4: FIRST AID MEASURES

4.1 First aid measures:

Symptoms caused by poisoning with this product may appear after exposure to it, therefore, in case of In case of doubt, direct exposure to the chemical or physical alteration, seek medical attention.

By inhalation:

Inhalation of this product is not dangerous, but it is recommended, in case of symptoms of intoxication, to remove the product. Remove the victim from the exposure area, to fresh air, and keep him/her at rest. Seek medical assistance. medical attention if symptoms persist.

By skin contact:

This product is not classified as hazardous in contact with skin. However, it is recommended, in case of contact with skin, removing contaminated clothing and shoes, rinsing the skin or showering the affected person with plenty of cold water and neutral soap. In case of serious conditions, consult a doctor immediately.

Through eye contact:

Rinse eyes with plenty of water for at least 15 minutes. If the casualty wears contact lenses, contact, they should be removed if they have not stuck to the eyes as additional damage may occur. In all the cases mentioned, after washing, the victim must be urgently transported to a doctor accompanied by the SDS of the product.

By ingestion/aspiration:

Seek medical attention immediately, showing the product's SDS. Do not induce vomiting if If this occurs, keep the victim's head tilted forward to avoid swallowing. Keep the victim in Rest. Clear your mouth and throat as there is a risk that they may have been affected by the ingestion of the product.

4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in paragraphs 2 and 11.

4.3 Indication of any immediate medical attention and special treatment needed:

Irrelevant

CONTINUED ON THE NEXT PAGE



Safety Data Sheet
According to COMMISSION REGULATION (EU) 2020/878

Monto - PLASMONT ELASTIC FIBER 502305_800

SECTION 5: FIRE-FIGHTING MEASURES

5.1 Fire extinguishing media:

Suitable extinguishing media: Non-flammable

product under normal conditions of storage, handling and use. In the event of ignition, as a result of improper handling, storage or use, preferably use multi-purpose powder extinguishers (class ABC), according to the Fire Protection Installations Regulation.

Unsuitable extinguishing media:

Irrelevant

5.2 Special hazards arising from the substance or mixture:

As a consequence of combustion or thermal decomposition, reaction by-products are generated that can be extremely toxic and, consequently, may present a high health risk.

5.3 Recommendations for firefighters:

Depending on the magnitude of the fire, full protective suits and self-contained breathing apparatus may be required. Basic emergency equipment (fireproof beds, first aid kit) should be available.

Additional provisions: Follow

the instructions of the Internal Emergency Plan and the Information Sheets on action in case of accidents and other emergencies. Eliminate any source of fire. In case of fire, cool containers and tanks storing the product exposed to flame, explosion or BLEVE caused by high temperatures. Avoid spilling fire extinguishing products into the aquatic environment.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures:

For personnel assigned to non-emergency situations: Leaks will be isolated

provided that this does not involve an additional risk to the persons performing this operation.

For emergency responders: Protective equipment should be worn. Remove

persons not properly equipped. See SECTION 8.

6.2 Environmental precautions:

It is recommended to avoid both spilling and throwing its packaging into the environment.

6.3 Methods and material for fire containment and cleaning up:

It is recommended:

Prevent product from entering drains, sewers or water courses. Absorb spillage using sand or inert absorbent and move to a safe place. Do not absorb sawdust or other combustible absorbents.

Collect the product in suitable containers and dispose of it in accordance with current legislation.

Spills into water or sea: Small spills:

Contain spills using

dikes or similar equipment. Use suitable absorbent materials for collection and treat waste in accordance with regulations in force.

Large spills: If

possible, contain the spill to open water using dikes or similar equipment. If this is not possible, try to control the spread and collect the product by suitable mechanical means. Always consult an expert before using dispersants and ensure that you have the necessary approvals if they are to be used. Dispose of waste in accordance with applicable regulations.

6.4 References to other sections:

See points 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling:

A.-General precautions

Comply with the legislation in force on the prevention of occupational risks in relation to the handling of loads. Maintain order, cleanliness and dispose of the product using safe measures (chapter 6)

CONTINUED ON THE NEXT PAGE



Safety Data Sheet
According to COMMISSION REGULATION (EU) 2020/878

MONTO - PLASMONT ELASTIC FIBER 502305_800

SECTION 7: HANDLING AND STORAGE (Continued)

B.-Technical recommendations for the prevention of fires and explosions.

Non-flammable product under normal conditions of storage, handling and use. Transport residues at low speeds to avoid generating electrostatic charges that could affect flammable products.

See Chapter 10 for conditions and materials to avoid.

C.-Technical recommendations for the prevention of ergonomic risks and toxicology.

Do not drink or eat while handling the product and wash hands with appropriate cleaning products after use.

D.-Technical recommendations to prevent environmental hazards

It is recommended to have absorbent material available near the product (See Chapter 6.3)

7.2 Conditions for safe storage, including any incompatibilities:

A.-Specific storage requirements

Minimum temperature: 5 °C

Maximum temperature: 30 °C

B.-General storage conditions.

Avoid sources of heat, radiation, static electricity and contact with food. For more information see chapter 10.5 **7.3**

Specific end use(s):

Except for the indications already specified, they do not need any special recommendations regarding the use of this product.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters:

Substances with occupational exposure limit values that must be monitored at the workplace: There are no environmental limit values for the substances that constitute the mixture.

DNEL (Workers):

Irrelevant

DNEL (Population):

Irrelevant

PNECs:

Irrelevant

8.2 Exposure controls:

A.-Individual protection measures, such as personal protective equipment As a preventive

measure, it is recommended to use personal protective equipment which must bear the "CE" marking. For more information on personal protective equipment (storage, cleaning, use, conservation, level of protection,...) consult the information leaflet provided by the manufacturer. For details, see chapter 7.1

B.-Respiratory protection:

If working conditions and/or safety measures adopted do not allow the airborne concentration of the product to be maintained below exposure limits (if any) or at acceptable levels (if no exposure limits exist), appropriate respiratory protective equipment selected by a qualified professional should be used.

C.-Specific hand protection

icon	EPP	Marked	ECN Standards	Remarks
 Mandatory hand protection	Protective gloves against minor risks			Replace gloves at the slightest sign of damage. For prolonged periods of exposure to the product for professional/industrial users, the use of CE III gloves is recommended, in accordance with EN ISO 21420:2020 and EN ISO 374-1:2016+A1:2018.

Given that the product is a mixture of different materials, the resistance of the glove material cannot be accurately calculated in advance, therefore they must be checked before application.

D.-Eye and facial protection

CONTINUED ON THE NEXT PAGE



Safety Data Sheet
According to COMMISSION REGULATION (EU) 2020/878

MONTO - PLASMONT ELASTIC FIBER
502305_800

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (Continued)

icon	EPP	Marked	ECN Standards	Observations
protection mandatory face	Goggles splash and/or projections		EN 166:2002 EN ISO 4007:2018	Clean daily and disinfect periodically, according to the instructions manufacturer. It is recommended to use in where there is a risk of splashing.

E.- Body protection

icon	EPP	Marked	ECN Standards	Observations
	Workwear			Replace if you notice any signs of deterioration. In the case of periods of prolonged exposure to the product for professional/industrial users, recommends CE III, according to EN ISO standards 6529:2013, EN ISO 6530:2005, EN ISO 13688:2013, EN 464:1994.
	Work shoes non-slip		EN ISO 20347:2022	Replace if you notice any signs of deterioration. In the case of periods of prolonged exposure to the product for professional/industrial users, recommends CE III, according to EN ISO standards 20345:2022 and EN 13832-1:2019.

F.- Complementary emergency measures

It is recommended to implement additional emergency equipment at workplaces that are particularly exposed to the product or in situations where risk assessments highlight the need for such measures of equipment.

Emergency measure	standard	Emergency measure	standard
Emergency shower	ANSI Z358-1 ISO 3864-1:2011, ISO 3864-4:2011	Eye wash	FROM 12 899 ISO 3864-1:2011, ISO 3864-4:2011

Environmental exposure control:

According to EU legislation on environmental protection, it is recommended to both avoid spillage and disposal of its packaging into the environment. For more information, see chapter 7.1.D

Volatile organic compounds:

In application of Law No. 278/2013 (Directive 2010/75/EU), this product has the following characteristics:

VOC(supply): VOC	0.02% weight
concentration at 20 °C: 0.27 kg/m ³ (0.27 g/L)	
Average carbon number:	3.98
Average molecular weight:	121.34 g/mol

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties:

For complete information see the product data sheet.

Physical appearance:

Physical state 20 °C:	Liquid
Appearance:	creamy
Color:	Characteristic
Smell:	Characteristic
Odor acceptance threshold:	Not relevant *

Volatility:

Boiling point at atmospheric pressure:	103°C
Vapour pressure 20 °C:	2342 Pa
Vapour pressure 50 °C:	12330.17 Pa (12.33 kPa)

*Not relevant due to the nature of the product, not providing characteristic information regarding its hazardousness.

CONTINUED ON THE NEXT PAGE



Safety Data Sheet
According to COMMISSION REGULATION (EU) 2020/878

MONTO - PLASMONT ELASTIC FIBER
502305_800

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES (Continued)

Evaporation rate 20 °C:	Not relevant *
Product characterization:	
Density 20 °C:	1361.9 kg/m ³
Relative density 20 °C:	1,473
Dynamic viscosity 20 °C:	Not relevant *
Kinematic viscosity 20 °C:	Not relevant *
Kinematic viscosity 40 °C:	>20.5 mm ² /s
Concentration:	Not relevant *
pH:	Not relevant *
Vapor density 20 °C:	Not relevant *
Partition coefficient: n-octanol/water 20 °C:	Not relevant *
Solubility in water 20 °C:	Not relevant *
Solubility property:	Not relevant *
Decomposition temperature:	Not relevant *
Melting point/freezing point:	Not relevant *
Flammability:	
Flammability temperature:	Non-flammable (>60 °C)
Flammability (solid, gas):	Not relevant *
Autoignition temperature:	204°C
Lower flammability limit:	Not relevant *
Upper flammability limit:	Not relevant *
Particle characteristics:	
Median equivalent diameter:	Not relevant *

9.2 Other information:

Information on physical hazard classes:	
Explosive properties:	Not relevant *
Oxidizing properties:	Not relevant *
Corrosive to metals:	Not relevant *
Heat of combustion:	Not relevant *
Aerosols - total percentages (by mass) of flammable components:	Not relevant *
Other safety features:	
Surface tension 20 °C:	Not relevant *
Refractive index:	Not relevant *

*Not relevant due to the nature of the product, not providing characteristic information regarding its hazardousness.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity:

No dangerous reactions are expected if the technical instructions for storing chemical products are followed.
Refer to chapter 7 of the Safety Data Sheet.

10.2 Chemical stability:

Chemically stable, respecting the indicated conditions of storage, handling and use.

10.3 Possibility of hazardous reactions:

Under the indicated conditions, no hazardous reactions that could generate excessive pressure or temperatures are expected.

10.4 Conditions to avoid:

Applicable for handling and storage at ambient temperature:

CONTINUED ON THE NEXT PAGE



Safety Data Sheet
According to COMMISSION REGULATION (EU) 2020/878

MONTO - PLASMONT ELASTIC FIBER
502305_800

SECTION 10: STABILITY AND REACTIVITY (Continued)

Shock and friction	Contact with air	Heating	Solar light	Moisture
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable

10.5 Incompatible materials:

ACID	Water	Oxidizing substances	Combustible materials	Other
Avoid strong acids	Not applicable	Avoid direct contact	Not applicable	Substances to avoid alkalis or strong bases

10.6 Hazardous decomposition products:

See section 10.3, 10.4 and 10.5 for specific knowledge of decomposition products. depending on the decomposition conditions, they can be released into complex mixtures of chemicals: carbon dioxide (CO₂), carbon monoxide and other organic compounds.

SECTION 11: TOXICOLOGICAL INFORMATION **

11.1 Information on the hazard classes defined in Regulation (EC) No. 1272/2008:

There are no experimental data on the mixture regarding its toxicological properties.

Hazardous health effects:

In case of repeated, prolonged exposure or at concentrations higher than those established by the exposure limits occupational exposure, adverse health effects may occur depending on the route of exposure

A- Ingestion (acute effect):

- Acute toxicity: Based on available data, the classification criteria are not met, but still present substances classified as dangerous if swallowed. For more information, see chapter 3.
- Corrosivity / Irritability: Based on available data, the classification criteria are not met, however presents substances classified as dangerous by this effect. For more information, see chapter 3.

B- Inhalation (acute effect):

- Acute toxicity: Based on available data, the classification criteria are not met, but still present substances classified as dangerous by inhalation. For more information, see chapter 3.
- Corrosivity / Irritability: In case of prolonged inhalation, the product may destroy membrane tissues, mucous membranes and upper respiratory tract.

C- Skin and eye contact (acute effect):

- Skin contact: Based on available data, the classification criteria are not met, but it does present substances classified as dangerous in contact with skin. For more information, see chapter 3.
- Eye contact: Based on available data, the classification criteria are not met, but it does present substances classified as dangerous by this effect. For more information, see chapter 3.

D- CMR effects (carcinogenic, mutagenic and toxic for reproduction):

- Carcinogenicity: Based on available data, the classification criteria are not met, not presenting any substances classified as dangerous for the effects described. For more information, see chapter 3.
IARC: Formaldehyde (1); 2,6-di-tert-butyl-p-cresol (3)
- Mutagenicity: Based on available data, the classification criteria are not met, as it does not show any mutagenic effects. substances classified as dangerous by this effect. For more information, see the chapter 3.
- Reproductive toxicity: Based on available data, the classification criteria are not met, because it does not contain substances classified as dangerous by this effect. For more information, see chapter 3.

E- Sensitization effect:

- Respiratory: Based on available data, the classification criteria are not met, not presenting any substances classified as dangerous with sensitizing effects. For more information, see chapter 3.
- Dermal: Based on available data, the classification criteria are not met, but still present substances classified as dangerous with sensitizing effects. For more information, see chapter 3.

F- STOT (specific target organ toxicity) - single exposure:

Based on available data, the classification criteria are not met, as it does not contain any substances classified as dangerous for this effect. For more information, see chapter 3.

** Changes from the previous version

CONTINUED ON THE NEXT PAGE



Safety Data Sheet
According to COMMISSION REGULATION (EU) 2020/878

MONTO - PLASMONT ELASTIC FIBER
502305_800

SECTION 11: TOXICOLOGICAL INFORMATION ** (Continued)

G- STOT (specific target organ toxicity) - repeated exposure:

- STOT (specific target organ toxicity) - repeated exposure: Based on available data, the criteria classification criteria are not met, as they do not contain substances classified as hazardous by this effect. For more information, see chapter 3.
- Skin: Based on available data, the classification criteria are not met, as it does not present any substances classified as dangerous by this effect. For more information, see the chapter 3.

H- Aspiration hazard:

Based on available data, the classification criteria are not met, as it does not contain any substances classified as dangerous for this effect. For more information, see chapter 3.

Other information:

Irrelevant

Specific toxicological information of substances:

Identification	Acute toxicity		Gender
reaction mass composed of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) CAS: 55965-84-9 EC: Not relevant	Oral LD50	64 mg/kg	Rat
	Dermal LD50	87.12 mg/kg	Rabbit
	LC50 inhalation		

11.2 Information on other hazards:

Endocrine disrupting properties

Endocrine disrupting properties: The product does not meet the criteria.

Other information

Irrelevant

*** Changes from the previous version*

SECTION 12: ECOLOGICAL INFORMATION **

There are no experimental data available on the mixture itself regarding its ecotoxicological properties.

Based on available data, the classification criteria are not met, but it contains substances classified as dangerous through this effect. For more information, see chapter 3.

12.1 Toxicity:

Acute toxicity:

Identification	Concentration		Species	Gender
reaction mass composed of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) CAS: 55965-84-9 EC: Not relevant	IC50	>0.001 - 0.01 mg/L (96 h)		Fish
	EC50	>0.001 - 0.01 mg/L (48 h)		Crustacean
	EC50	>0.001 - 0.01 mg/L (72 h)		Seaweed

Chronic toxicity:

Identification	Concentration		Species	Gender
reaction mass composed of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) CAS: 55965-84-9 EC: Not relevant	NOEC	>0.001 - 0.01 mg/L		Fish
	NOEC	>0.001 - 0.01 mg/L		Crustacean

12.2 Persistence and degradability:

Irrelevant

12.3 Bioaccumulative potential:

Irrelevant

12.4 Mobility in soil:

Irrelevant

*** Changes from the previous version*

CONTINUED ON THE NEXT PAGE



Safety Data Sheet

According to COMMISSION REGULATION (EU) 2020/878

MONTO - PLASMONT ELASTIC FIBER 502305_800

SECTION 12: ECOLOGICAL INFORMATION ** (Continued)

12.5 Results of PBT and vPvB assessment:

This product does not contain substances assessed as PBT or vPvB at the limit levels set by the regulation.

12.6 Endocrine disrupting properties: Endocrine

disrupting properties: The product does not meet the criteria

12.7 Other adverse effects:

Undescribed

*** Changes from the previous version*

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods:

Code	Description	Waste type (Regulation (EU) No 1357/2014)
08 04 10	waste adhesives and glues other than those mentioned in 08 04 09	It is not dangerous.

Waste type (Regulation (EU) No 1357/2014):

Irrelevant

Waste management (disposal and vaporization): Consult

the authorized waste handler for recovery and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). According to code 15 01 (2014/955/EU, HG 856/2002), if the container has come into direct contact with the product, it will be managed in the same way as the product; otherwise, it will be managed as non-hazardous waste. Product waste disposal is carried out in accordance with Emergency Ordinance 92/2021 on the waste regime, with subsequent amendments and additions. It is not recommended to throw it into water courses. See paragraph 6.2.

Relevant Community provisions on waste: In accordance

with Annex II of Regulation (EC) No 1907/2006 (REACH), the Community or state provisions on waste management are mentioned: Community legislation: Directive 2008/98/

EC, 2014/955/EU National legislation: OMAPM no. 756/2004 for the approval of the Technical Norm on waste incineration; Emergency Ordinance 2/2021 on waste disposal; GD 856/2002 on waste management records and for the approval of the list of waste, including hazardous waste.

Government Decision No. 1061/2008 on the transport of hazardous and non-hazardous waste on the territory of Romania Emergency Ordinance 92/2021 on the waste regime.

SECTION 14: TRANSPORT INFORMATION

Land transport of dangerous goods:

In applying ADR 2023 and RID 2023:

CONTINUED ON THE NEXT PAGE



Safety Data Sheet
According to COMMISSION REGULATION (EU) 2020/878

MONTO - PLASMONT ELASTIC FIBER 502305_800

SECTION 14: TRANSPORT INFORMATION (Continued)

14.1 UN number or identification number:	Irrelevant
14.2 UN proper shipping name:	Irrelevant
14.3 Transport hazard class(es):	Irrelevant
Labels:	Irrelevant
	Irrelevant
	Irrelevant
14.4 Packing group:	Irrelevant
14.5 Environmental hazards:	Not
14.6 Special precautions for user	Special provisions: Tunnel
restriction code:	Not
relevant Physical and chemical properties:	See section 9
14.7 Sea transport in bulk according to IMO instruments:	Irrelevant
	Irrelevant

Maritime transport of dangerous goods:

In application of IMDG 41-22:

14.1 UN number or identification number:	Irrelevant
14.2 UN proper shipping name:	Irrelevant
14.3 Transport hazard class(es):	Irrelevant
Labels: 14.4 Packing group:	Irrelevant
14.5 Marine pollutant:	Irrelevant
14.6 Special precautions for user	Irrelevant
Special	Irrelevant
provisions: Not applicable EmS	Irrelevant
codes: Physical and chemical properties: See section 9	Not

Limited quantities: Segregation class: **14.7 Sea transport in bulk according to IMO instruments:**

Irrelevant
Irrelevant
Irrelevant

Air transport of dangerous goods:

In application of IATA/ICAO 2024:

14.1 UN number or identification number:	Irrelevant
14.2 UN proper name for shipment:	Irrelevant
14.3 Transport hazard class(es):	Irrelevant
Labels: 14.4 Packing group:	Irrelevant
14.5 Environmental hazards:	Irrelevant

14.6 Special precautions for user Physical and chemical properties: See section 9

14.7 Bulk maritime transport in accordance with IMO instruments:

CONTINUED ON THE NEXT PAGE



Safety Data Sheet
According to COMMISSION REGULATION (EU) 2020/878

Monto - PLASMONT ELASTIC FIBER 502305_800

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific to (specific) substance or mixture concerned: -

Regulation (EC) No. 528/2012: contains a preservative to protect the initial properties of the treated article. Contains reaction mass composed of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1), Tetrahydro-1,3,4,6-tetrakis (hydroxymethyl) imidazo [4,5-d] imidazole-2,5 (1H, 3H) -dione, (ethylenedioxy) dimethanol, 1,2-benzisothiazol-3(2H)-one.

- Article 95, REGULATION (EU) No 528/2012: *reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9) - PT: (2,4,6,11,12,13) ; Tetrahydro-1,3,4,6-tetrakis (hydroxymethyl) imidazo [4,5-d] imidazole-2,5 (1H, 3H) -dione (5395-50-6) - PT: (6,11,12,13) ; (ethylenedioxy) dimethanol (3586-55-8) - PT: (6,11,12,13) ; Formaldehyde (50-00-0) - PT: (2,3,22) ; Amorphous silica gel (112926-00-8) - PT: (18) ; 1,2-benzisothiazol-3(2H)-one (2634-33-5) - PT: (2,6,9,11,12,13)*
 - Regulation (EU) 2019/1021 on persistent organic pollutants: Not relevant - Regulation (EU) 2024/590 on substances that deplete the ozone layer: Not relevant - REGULATION (EU) No 649/2012 concerning the export and import of dangerous chemicals: Not relevant - Candidate substances for authorisation in Regulation (EC) 1907/2006 (REACH): Not relevant - Substances included in Annex XIV to REACH (authorisation list) and with an expiry date: Not relevant **Seveso III:**

Irrelevant

Restrictions on the marketing and use of certain dangerous substances and mixtures (Annex XVII of the REACH Regulation, etc...): Exposure to respirable crystalline silica in the occupational environment must be controlled in accordance with Directive (EU) 2019/130.

Particular provisions in the field of protection of persons or the environment: It is recommended to use the data collected in this safety data sheet as input data in a risk assessment of local circumstances, in order to establish the necessary measures to prevent risks for the handling, use, storage and disposal of this product.

Other legislation:

Law no. 360/2003 on the regime of dangerous chemical substances and preparations
 Law no. 349/2007 on the reorganization of the institutional framework in the field of chemical substances management Law no. 249/2011 amending art. 4 of Law no. 349/2007 on the reorganization of the institutional framework in the field of chemical substances management Government Decision no.
 477/2009 on establishing the sanctions applicable for violating the provisions of Regulation (EC) no. 1,907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) no. 793/93 and Regulation (EC) no. 1.488/94 of the Commission, as well as of Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC Law no. 254/2011 amending art. 26 of Law no. 360/2003 on the regime of dangerous chemical substances and preparations
 Government Decision no. 662/2011 repealing Government Decision no. 347/2003 on restrictions on the placing on the market and use of certain dangerous substances and preparations Emergency Ordinance no. 60/2013 supplementing art. 4 para. (1) of Law no. 349/2007 on the reorganization of the institutional framework in the field of chemical substances management Decision no. 1218/2006 on establishing minimum occupational health and safety requirements to ensure the protection of workers against risks related to the presence of chemical agents Law no. 319/2006 Occupational Health and Safety Law Emergency Ordinance 1/2021 amending and supplementing Law no. 249/2015 on the management of packaging and packaging waste Emergency Ordinance 92/2021 on the waste regime, with subsequent amendments and completions Emergency Ordinance no. 122/2010 on establishing the sanctions applicable for violating the provisions of Regulation (EC) no. 1272/2008 on the classification, labeling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, as well as amending Regulation (EC) no. 1907/2006 Government Decision no. 398/2010 on establishing measures for the application of the provisions of Regulation (EC) no. 1272/2008 on the classification, labeling and packaging of substances and mixtures **15.2 Chemical safety assessment:** The supplier did not carry out the chemical safety assessment

SECTION 16: OTHER INFORMATION

CONTINUED ON THE NEXT PAGE



Safety Data Sheet
According to COMMISSION REGULATION (EU) 2020/878

Monto - PLASMONT ELASTIC FIBER 502305_800

SECTION 16: OTHER INFORMATION (Continued)

Applicable law: This

safety data sheet has been prepared in accordance with Annex II-Guidance for the preparation of safety data sheets of Regulation (EC) No 1907/2006 (COMMISSION REGULATION (EU) 2020/878)

Changes compared to the previous safety data sheet, affecting risk management measures: COMPOSITION/INFORMATION ON INGREDIENTS (SECTION 3, SECTION 11, SECTION 12): · Added substances reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9)

· Withdrawn substances

reaction mass composed of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9)

Regulation No. 1272/2008 (CLP) (SECTION 2, SECTION 16): · Substances contained in EUH208: · Added substances

reaction mass composed of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9)

· Withdrawn substances

reaction mass composed of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9)

Texts of the regulatory phrases presented in section 3: The phrases

mentioned do not refer to the product itself, they are for information only and refer to the individual components that appear in section 3
Regulation No. 1272/2008 (CLP): Acute

Tox. 2: H310+H330 - Fatal in contact with skin or if inhaled.

Acute Tox. 3: H301 - Toxic if swallowed.

Aquatic Acute 1: H400 - Very toxic to aquatic life.

Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects.

Eye Dam. 1: H318 - Causes serious eye damage.

Skin Corr. 1C: H314 - Causes severe skin burns and eye damage.

Skin Sens. 1A: H317 - May cause an allergic skin reaction.

Classification procedure:

Irrelevant

Advice on professional training: A minimum training

for the prevention of professional risks is recommended for the personnel who will handle this product, in order to facilitate the content and interpretation of the data of this safety data sheet, as well as the labeling of the product.

References to literature and data sources: <http://echa.europa.eu> <http://eur-lex.europa.eu>

Abbreviations and acronyms:

ADR: European Agreement

concerning the International

Carriage of Dangerous Goods by Road IMDG: International Maritime Dangerous Goods Code IATA: International Air

Transport Association ICAO: International Civil Aviation Organization CCO: Chemical

Oxygen Demand BOD5: 5-day Biological Oxygen Demand BCF:

Biocconcentration factor LD50: Lethal Dose 50 LC50: Lethal

Concentration 50 EC50: Effective

Concentration 50 Log Pow: Log Octanol Partition Coefficient Koc:

Partition Coefficient of Organic Carbon

DNEL: Derived No Effect

Level PNEC: Predicted No Effect

Concentration UFI: Unique Formulation

Identifier IARC: International Agency for Research on Cancer

The information contained in this safety data sheet is based on sources, technical knowledge and existing legislation at European and national level and its accuracy cannot be guaranteed. This information cannot be considered as a guarantee of the properties of the product, it is simply a description in terms of safety requirements. The methodology and working conditions of the users of this product are beyond our knowledge and control, and it is always the final responsibility of the user to take the necessary measures to adapt to the legislative requirements regarding the handling, storage, use and disposal of chemical products. The information in this safety data sheet refers only to this product, which should not be used for purposes other than those specified.

COMPLETION OF THE SAFETY DATA SHEET