



SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier: MONTÓ - LUXATIN ECOLOGICO SATINADO GRIS AZULADO 501904_182**Other means of identification:**

Irrelevant

1.2 Relevant identified uses of the substance or mixture and uses advised against:

Relevant uses (Consumer use): Paint Relevant uses (Professional user): Paint Relevant uses (Industrial user): Paint Uses advised against: All uses not specified in this section or in section 7.3

1.3 Details of the supplier of the safety data sheet:

PINTURAS MONTÓ SAU
Carretera de la base militar 11 46163
Marines - Valencia - España Tel.: 961648339 -
Fax: 961648343 sac@montopinturas.com
www.montopinturas.com

1.4 Telephone number that can be called in case of emergency:

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture:

Regulation No. 1272/2008 (CLP): According to the provisions of Regulation No. 1272/2008 (CLP), the product is not classified as a hazardous product.

2.2 Label elements: Regulation No. 1272/2008

(CLP): Hazard statements: Not relevant

Precautionary

statements: P101: If medical advice is needed, have product container or label at hand.

P102: Keep out of reach of children.

P501: Dispose of contents/container in accordance with the selective collection system applied in your municipality.

Additional information:

EUH208: Contains 1,2-benzisothiazol-3(2H)-one, reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction.

2.3 Other hazards:

This product does not contain substances assessed as PBT or vPvB at the limit levels set by the regulation.
Endocrine disrupting properties: The product does not meet the criteria.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances:

Irrelevant

3.2 Mixtures:

Chemical description: Miscellaneous product(s)

Components:

In accordance with Annex II of Regulation (EC) No 1907/2006, the product contains:

CONTINUED ON THE NEXT PAGE



MONTO - LUXATIN ECOLOGICO SATINADO GRIS AZULADO
501904_182

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS (Continued)

Identification	Chemical name/classification	Concentration
CASE: 2634-33-5 EC: 220-120-9 Index: 613-088-00-6 REACH: 01-2120761540-60-XXXX	1,2-benzisothiazol-3(2H)-one ATP CLP00 Regulation 1272/2008 Acute Tox. 4: H302; Aquatic Acute 1: H400; Eye Dam. 1: H318; Skin Irritated. 2: H315; Skin Sens. 1: H317 - Danger	<1%
CASE: 55965-84-9 EC: Irrelevant Index: 613-167-00-5 REACH: Irrelevant	reaction mass composed of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) ATP ATP13 Regulation 1272/2008 Acute Tox. 2: H310+H330; Acute Tox. 3: H301; Aquatic Acute 1: H400; Aquatic Chronic 1: H410; Eye Dam. 1: H318; Skin Corr. 1C: H314; Skin Sens. 1A: H317; EUH071 - Danger	<1%

⁹⁹ Substance presenting a risk to health or the environment meeting the criteria set out in Regulation (EU) No 2020/878

For further information on the hazardous nature of the substances, see sections 11, 12 and 16.

Other information:

Identification	M-factor
reaction mass composed of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) CAS: 55965-84-9 EC: Not relevant	Acute 100 Chronic 100

Identification	Specific concentration limit
1,2-benzisothiazol-3(2H)-one CAS: 2634-33-5 EC: 220-120-9	% (w/w) >=0.05: Skin Sens. 1 - H317
reaction mass composed of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) CAS: 55965-84-9 EC: Not relevant	% (w/w) >=0.6: Skin Corr. 1C - H314 0.06<= % (w/w) <0.6: Skin Irrit. 2 - H315 % (w/w) >=0.6: Eye Dam. 1 - H318 0.06<= % (w/w) <0.6: Eye Irrit. 2 - H319 % (w/w) >=0.0015: Skin Sens. 1A - H317

Acute toxicity estimation for substances included in Part 3 of Annex VI to Regulation (EC) No. 1272/2008 or established in accordance with Annex I to that Regulation:

Identification	Acute toxicity	Gender
1,2-benzisothiazol-3(2H)-one CAS: 2634-33-5 EC: 220-120-9	Oral LD50 500 mg/kg Dermal LD50 Irrelevant LC50 inhalation of vapours Irrelevant	Rat
reaction mass composed of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) CAS: 55965-84-9 EC: Not relevant	Oral LD50 64 mg/kg Dermal LD50 87.12 mg/kg LC50 inhalation of vapours Irrelevant	Rat Rabbit

SECTION 4: FIRST AID MEASURES

4.1 First aid measures:

Symptoms caused by poisoning with this product may appear after exposure to it, therefore, in case of In case of doubt, direct exposure to the chemical or physical alteration, seek medical attention.

By inhalation:

Inhalation of this product is not dangerous, but it is recommended, in case of symptoms of intoxication, to remove the product. Remove the victim from the exposure area, to fresh air, and keep him/her at rest. Seek medical assistance. medical attention if symptoms persist.

By skin contact:

This product is not classified as hazardous in contact with skin. However, it is recommended, in case of contact with skin, removing contaminated clothing and shoes, rinsing the skin or showering the affected person with plenty of cold water and neutral soap. In case of serious conditions, consult a doctor immediately.

Through eye contact:

Rinse eyes with plenty of water for at least 15 minutes. If the casualty wears contact lenses, contact, they should be removed if they have not stuck to the eyes as additional damage may occur. In all the cases mentioned, after washing, the victim must be urgently transported to a doctor accompanied by the SDS of the product.

By ingestion/aspiration:

CONTINUED ON THE NEXT PAGE

SECTION 4: FIRST AID MEASURES (Continued)

Seek immediate medical attention, showing the product's SDS. Do not induce vomiting, if this occurs, keep the victim's head tilted forward to avoid swallowing. Keep the victim at rest. Rinse the mouth and throat as there is a risk that they may have been affected by the ingestion of the product.

4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in paragraphs 2 and 11.

4.3 Indication of any immediate medical attention and special treatment needed:

Irrelevant

SECTION 5: FIRE-FIGHTING MEASURES**5.1 Fire extinguishing media:**

Suitable extinguishing media: Non-flammable

product under normal conditions of storage, handling and use. In the event of ignition, as a result of improper handling, storage or use, preferably use multi-purpose powder extinguishers (class ABC), according to the Fire Protection Installations Regulation.

Unsuitable extinguishing media:

Irrelevant

5.2 Special hazards arising from the substance or mixture:

As a consequence of combustion or thermal decomposition, reaction by-products are generated that can be extremely toxic and, consequently, may present a high health risk.

5.3 Recommendations for firefighters: Depending

on the magnitude of the fire, full protective suits and self-contained breathing apparatus may be required. Basic emergency equipment (fireproof beds, first aid kit) should be available.

Additional provisions:

Follow the instructions of the Internal Emergency Plan and the Information Sheets on action in case of accidents and other emergencies. Eliminate any source of fire. In case of fire, cool containers and tanks storing the product exposed to flame, explosion or BLEVE caused by high temperatures. Avoid spilling fire extinguishing products into the aquatic environment.

SECTION 6: ACCIDENTAL RELEASE MEASURES**6.1 Personal precautions, protective equipment and emergency procedures:**

For personnel assigned to non-emergency situations: Leaks will be

isolated provided that this does not involve an additional risk to the persons performing this operation.

For emergency responders: Protective equipment should be

worn. Remove persons not properly equipped. See SECTION 8.

6.2 Environmental precautions:

It is recommended to avoid both spilling and throwing its packaging into the environment.

6.3 Methods and material for fire containment and cleaning up:

It is recommended:

CONTINUED ON THE NEXT PAGE



MONTO - LUXATIN ECOLOGICO SATINADO GRIS AZULADO
501904_182

SECTION 6: ACCIDENTAL RELEASE MEASURES (Continued)

Prevent product from entering drains, sewers or watercourses. Absorb spillage using sand or inert absorbent and move to a safe place. Do not absorb sawdust or other combustible absorbents. Collect the product in suitable containers and handle it in accordance with current legislation.

Spills into water or sea:

Small spills:

Contain spills using dikes or similar equipment. Use suitable absorbent materials for collect and treat waste in accordance with current regulations.

Large spills:

If possible, dam the discharge into open waters using dams or similar equipment. If this is not possible, try to control its spread and collect the product by mechanical means

Always consult an expert before using dispersants and make sure you have the proper approvals.

necessary if they are to be used. Treat waste in accordance with local regulations. force.

6.4 References to other sections:

See points 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling:

A.-General precautions

Comply with the legislation in force regarding the prevention of occupational risks regarding the handling of loads. Keep the area tidy, clean and dispose of the product safely (chapter 6)

B.-Technical recommendations for the prevention of fires and explosions.

Non-flammable product under normal conditions of storage, handling and use. Transport residues to low speeds to avoid generating electrostatic charges that could affect flammable products.

See Chapter 10 for conditions and materials to avoid.

C.-Technical recommendations for the prevention of ergonomic risks and toxicology.

Do not drink or eat while handling the product and wash your hands with hand sanitizer after handling. adequate cleaning.

D.-Technical recommendations to prevent environmental hazards

It is recommended to have absorbent material available near the product (See Chapter 6.3)

7.2 Conditions for safe storage, including any incompatibilities:

A.-Specific storage requirements

Minimum temperature: 5 °C

Maximum temperature: 30 °C

B.-General storage conditions.

Avoid sources of heat, radiation, static electricity and contact with food products. For more more information see chapter 10.5

7.3 Specific end use(s):

Except for the indications already specified, they do not need any special recommendations regarding use. this product.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters:

Substances whose occupational exposure limit values must be controlled at the workplace:

There are no environmental limit values for the substances that make up the mixture.

DNEL (Workers):

Identification		Short exposure		Wide exposure	
		Systemic	lockout	Systemic	lockout
1,2-benzisothiazol-3(2H)-one CAS: 2634-33-5 EC: 220-120-9	Oral	Irrelevant	Irrelevant	Irrelevant	Irrelevant
	skin	Irrelevant	Irrelevant	0.966 mg/kg Not applicable	
	Inhalation	Irrelevant	Irrelevant	6.81 mg/m³	Irrelevant

CONTINUED ON THE NEXT PAGE

MONTO - LUXATIN ECOLOGICO SATINADO GRIS AZULADO
501904_182

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (Continued)

DNEL (Population):

Identification		Short exposure		Wide exposure	
		Systemic	lockout	Systemic	lockout
1,2-benzisothiazol-3(2H)-one CAS: 2634-33-5 EC: 220-120-9	Oral	Irrelevant	Irrelevant	Irrelevant	Irrelevant
	skin	Irrelevant	Irrelevant	0.345 mg/kg Not relevant	
	Inhalation	Irrelevant	Irrelevant	1.2 mg/m³	Irrelevant

PNECs:

Identification					
1,2-benzisothiazol-3(2H)-one CAS: 2634-33-5 EC: 220-120-9	STP	1.03 mg/L	Fresh water	0.00403 mg/L	
	ground	3mg/kg	Seawater	0.000403 mg/L	
	Intermittent	0.0011 mg/L	Sediment (Fresh water)	0.0499 mg/kg	
	Oral	Irrelevant	Sediment (Marine water)	0.00499 mg/kg	

8.2 Exposure controls:

A.-Individual protective measures, such as personal protective equipment

As a preventive measure, it is recommended to use personal protective equipment which must: carry the "CE" marking. For more information on personal protective equipment (storage, cleaning, use, storage, protection level,...) consult the information leaflet provided by manufacturer. For details see chapter 7.1

B.-Respiratory protection.

icon	EPP	Marked	ECN Standards	Observations
 It is mandatory using the mask	Self-filtering mask for particles (Type filter: A)		EN 149:2001+A1:2010	Replace when you notice difficulties with breathing.

C.-Specific hand protection

icon	EPP	Marked	ECN Standards	Observations
 protection mandatory HAND	Protective gloves against risks minor			Replace gloves at the slightest sign of deterioration. For extended periods of product exposure for users professionals/industrialists, it is recommended use of CE III gloves, in accordance with EN ISO 21420:2020 and EN ISO standards 374-1:2016+A1:2018.

Since the product is a mixture of different materials, the resistance of the glove material cannot be guaranteed. be calculated accurately in advance, therefore they must be checked before application.

D.-Eye and facial protection

icon	EPP	Marked	ECN Standards	Observations
 protection mandatory face	Goggles splash and/or projections		EN 166:2002 EN ISO 4007:2018	Clean daily and disinfect periodically, according to the instructions manufacturer. It is recommended to use in where there is a risk of splashing.

E.- Body protection

icon	EPP	Marked	ECN Standards	Observations
	Workwear			Replace if you notice any signs of deterioration. In the case of periods of prolonged exposure to the product for professional/industrial users, recommends CE III, according to EN ISO standards 6529:2013, EN ISO 6530:2005, EN ISO 13688:2013, EN 464:1994.
	Work shoes non-slip		EN ISO 20347:2022	Replace if you notice any signs of deterioration. In the case of periods of prolonged exposure to the product for professional/industrial users, recommends CE III, according to EN ISO standards 20345:2022 and EN 13832-1:2019.

F.- Complementary emergency measures

CONTINUED ON THE NEXT PAGE

MONTO - LUXATIN ECOLOGICO SATINADO GRIS AZULADO
501904_182

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (Continued)

It is recommended to implement additional emergency equipment at workplaces that are particularly exposed to the product or in situations where risk assessments highlight the need for such measures of equipment.

Emergency measure	standard	Emergency measure	standard
	ANSI Z358-1 ISO 3864-1:2011, ISO 3864-4:2011		FROM 12 899 ISO 3864-1:2011, ISO 3864-4:2011
Emergency shower		Eye wash	

Environmental exposure control:

According to EU legislation on environmental protection, it is recommended to both avoid spillage and disposal of its packaging into the environment. For more information, see chapter 7.1.D

Volatile organic compounds:

In application of Law No. 278/2013 (Directive 2010/75/EU), this product has the following characteristics:

VOC(supply): VOC 0.08% weight
concentration at 20 °C: 29.43 kg/m³ (29.43 g/L)
Average carbon number: 7
Average molecular weight: 148.26 g/mol

In application of Government Decision No. 735/2006 (Directive 2004/42/EC), this product ready for use has the following characteristics:

VOC concentration at 20 °C: 29.1 kg/m³ (29.1 g/L)
EU limit value for the product (Cat. AD): 130 g/L (2010)
Components: Irrelevant

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties:

For complete information see the product data sheet.

Physical appearance:

Physical state 20 °C: Liquid
Appearance: gummy
Color: Characteristic
Smell: Characteristic
Odor acceptance threshold: Not relevant *

Volatility:

Boiling point at atmospheric pressure: 104°C
Vapour pressure 20 °C: 2333 Pa
Vapour pressure 50 °C: 12291.36 Pa (12.29 kPa)
Evaporation rate 20 °C: Not relevant *

Product characterization:

Density 20 °C: 1053.4 kg/m³
Relative density 20 °C: 1,118
Dynamic viscosity 20 °C: 4000 mPa·s
Kinematic viscosity 20 °C: 3797.15 mm²/s
Kinematic viscosity 40 °C: >20.5 mm²/s
Concentration: Not relevant *
pH: Not relevant *
Vapor density 20 °C: Not relevant *
Partition coefficient: n-octanol/water 20 °C: Not relevant *

*Not relevant due to the nature of the product, not providing characteristic information regarding its hazardousness.

CONTINUED ON THE NEXT PAGE



MONTO - LUXATIN ECOLOGICO SATINADO GRIS AZULADO
501904_182

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES (Continued)

Solubility in water 20 °C:	Not relevant *
Solubility property:	Not relevant *
Decomposition temperature:	Not relevant *
Melting point/freezing point:	Not relevant *
Flammability:	
Flammability temperature:	Non-flammable (>60 °C)
Flammability (solid, gas):	Not relevant *
Autoignition temperature:	189°C
Lower flammability limit:	Not relevant *
Upper flammability limit:	Not relevant *
Particle characteristics:	
Median equivalent diameter:	Not relevant *

9.2 Other information:

Information on physical hazard classes:

Explosive properties:	Not relevant *
Oxidizing properties:	Not relevant *
Corrosive to metals:	Not relevant *
Heat of combustion:	Not relevant *
Aerosols - total percentages (by mass) of flammable components:	Not relevant *

Other safety features:

Surface tension 20 °C:	Not relevant *
Refractive index:	Not relevant *

*Not relevant due to the nature of the product, not providing characteristic information regarding its hazardousness.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity:

No dangerous reactions are expected if the technical instructions for storing chemical products are followed.
Refer to chapter 7 of the Safety Data Sheet.

10.2 Chemical stability:

Chemically stable, respecting the indicated conditions of storage, handling and use.

10.3 Possibility of hazardous reactions:

Under the indicated conditions, no hazardous reactions that could generate excessive pressure or temperatures are expected.

10.4 Conditions to avoid:

Applicable for handling and storage at ambient temperature:

Shock and friction	Contact with air	Heating	Solar light	Moisture
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable

10.5 Incompatible materials:

ACID	Water	Oxidizing substances	Combustible materials	Other
Avoid strong acids	Not applicable	Avoid direct contact	Not applicable	Substances to avoid alkalis or strong bases

10.6 Hazardous decomposition products:

See section 10.3, 10.4 and 10.5 for specific knowledge of decomposition products.
depending on the decomposition conditions, they can be released into complex mixtures of chemicals: carbon dioxide (CO₂), carbon monoxide and other organic compounds.

SECTION 11: TOXICOLOGICAL INFORMATION

CONTINUED ON THE NEXT PAGE

SECTION 11: TOXICOLOGICAL INFORMATION (Continued)

11.1 Information on the hazard classes defined in Regulation (EC) No. 1272/2008:

There are no experimental data on the mixture regarding its toxicological properties.

Hazardous health effects:

In case of repeated, prolonged exposure or at concentrations higher than those established by occupational exposure limits, adverse health effects may occur depending on the route of exposure.

A- Ingestion (acute effect):

- Acute toxicity: Based on available data, the classification criteria are not met, but it does contain substances classified as dangerous if swallowed. For more information, see section 3.
- Corrosivity / Irritability: Based on available data, the classification criteria are not met, however, it contains substances classified as dangerous for this effect. For more information, see section 3.

B- Inhalation (acute effect):

- Acute toxicity: Based on available data, the classification criteria are not met, but it does contain substances classified as dangerous for inhalation. For more information, see section 3.
- Corrosivity / Irritability: In case of prolonged inhalation, the product can destroy the tissues of the mucous membranes and upper respiratory tract.

C- Skin and eye contact (acute effect):

- Skin contact: Based on available data, the classification criteria are not met, however it does contain substances classified as dangerous in contact with skin. For more information, see section 3.
- Eye contact: Based on available data, the classification criteria are not met, but it does contain substances classified as dangerous for this effect. For more information, see section 3.

D- CMR effects (carcinogenic, mutagenic and toxic for reproduction):

- Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for the effects described. For more information, see section 3.
IARC: Talc (3); Smoke Black (2B)
- Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information, see section 3.
- Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information, see section 3.

E- Sensitization effect:

- Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous with sensitizing effects. For more information, see chapter 3.
- Dermal: Based on available data, the classification criteria are not met, however it does contain substances classified as dangerous with sensitizing effects. For more information, see section 3.

F- STOT (specific target organ toxicity) - single exposure:

Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information, see section 3.

G- STOT (specific target organ toxicity) - repeated exposure:

- STOT (specific target organ toxicity) - repeated exposure: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information, see section 3.
- Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information, see section 3.

H- Aspiration hazard:

Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information, see section 3.

Other information:

Irrelevant

CONTINUED ON THE NEXT PAGE

MONTO - LUXATIN ECOLOGICO SATINADO GRIS AZULADO
501904_182

SECTION 11: TOXICOLOGICAL INFORMATION (Continued)**Specific toxicological information of substances:**

Identification	Acute toxicity		Gender
1,2-benzisothiazol-3(2H)-one CAS: 2634-33-5 EC: 220-120-9	Oral LD50	500 mg/kg	Rat
	Dermal LD50		
	LC50 inhalation		
reaction mass composed of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) CAS: 55965-84-9 EC: Not relevant	Oral LD50	64 mg/kg	Rat
	Dermal LD50	87.12 mg/kg	Rabbit
	LC50 inhalation		

11.2 Information on other hazards:**Endocrine disrupting properties**

Endocrine disrupting properties: The product does not meet the criteria.

Other information

Irrelevant

SECTION 12: ECOLOGICAL INFORMATION

There are no experimental data available on the mixture itself regarding its ecotoxicological properties.

Based on available data, the classification criteria are not met, but it contains substances classified as dangerous through this effect. For more information, see chapter 3.

12.1 Toxicity:**Acute toxicity:**

Identification	Concentration		Species	Gender
1,2-benzisothiazol-3(2H)-one CAS: 2634-33-5 EC: 220-120-9	LC50 >0.1 - 1 mg/L (96 h)			Fish
	EC50 >0.1 - 1 mg/L (48 h)			Crustacean
	EC50 >0.1 - 1 mg/L (72 h) >0.001 -			Seaweed
reaction mass composed of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) CAS: 55965-84-9 EC: Not relevant	IC50	0.01 mg/L (96 h)		Fish
	EC50	>0.001 - 0.01 mg/L (48 h)		Crustacean
	EC50	>0.001 - 0.01 mg/L (72 h)		Seaweed

Chronic toxicity:

Identification	Concentration		Species	Gender
reaction mass composed of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) CAS: 55965-84-9 EC: Not relevant	NOEC >0.001 - 0.01 mg/L			Fish
	NOEC >0.001 - 0.01 mg/L			Crustacean

12.2 Persistence and degradability:**Substance specific information:**

Identification	Degradability		Biodegradability	
1,2-benzisothiazol-3(2H)-one CAS: 2634-33-5 EC: 220-120-9	CBO5	Irrelevant	Concentration	100 mg/L
	COD	Irrelevant	Period	28 days
	CBO5/CCO	Not relevant	% biodegradable	0 %

12.3 Bioaccumulative potential:**Substance specific information:**

Identification	Bioaccumulative potential	
1,2-benzisothiazol-3(2H)-one CAS: 2634-33-5 EC: 220-120-9	BCF	2
	POW Log	1.45
	Potential	Down

12.4 Mobility in soil:

Irrelevant

12.5 Results of PBT and vPvB assessment:

CONTINUED ON THE NEXT PAGE



Safety Data Sheet

According to COMMISSION REGULATION (EU) 2020/878

MONTÓ - LUXATIN ECOLOGICO SATINADO GRIS AZULADO 501904_182

SECTION 12: ECOLOGICAL INFORMATION (Continued)

This product does not contain substances assessed as PBT or vPvB at the limit levels set by the regulation.

12.6 Endocrine disrupting properties: Endocrine

disrupting properties: The product does not meet the criteria

12.7 Other adverse effects:

Undescribed

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods:

Code	Description	Waste type (Regulation (EU) No 1357/2014)
08 01 12 waste	paint and varnish other than those mentioned in 08 01 11	It is not dangerous.

Waste type (Regulation (EU) No 1357/2014):

Irrelevant

Waste management (disposal and vaporization): Consult

the authorized waste handler for recovery and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). According to code 15 01 (2014/955/EU, HG 856/2002), if the container has come into direct contact with the product, it will be managed in the same way as the product; otherwise, it will be managed as non-hazardous waste. Product waste disposal is carried out in accordance with Emergency Ordinance 92/2021 on the waste regime, with subsequent amendments and additions. It is not recommended to throw it into water courses. See paragraph 6.2.

Relevant Community provisions on waste: In accordance

with Annex II of Regulation (EC) No 1907/2006 (REACH), the Community or state provisions on waste management are mentioned: Community legislation: Directive 2008/98/EC, 2014/955/EU National legislation: OMAPM no. 756/2004 for the approval of the Technical Norm on waste incineration; Emergency Ordinance 2/2021 on waste disposal; GD 856/2002 on waste management records and for the approval of the list of waste, including hazardous waste.

Government Decision No. 1061/2008 on the transport of hazardous and non-hazardous waste on the territory of Romania Emergency Ordinance 92/2021 on the waste regime.

SECTION 14: TRANSPORT INFORMATION

Land transport of dangerous goods: In application of ADR

2023 and RID 2023: **14.1 UN number or**

identification number: 14.2 UN

Irrelevant

proper shipping name: 14.3

Transport hazard class(es): Labels:

Irrelevant

Irrelevant

Irrelevant

14.4 Packing group: 14.5

Irrelevant

Environmental hazards:

Not

14.6 Special precautions for user Special provisions: Tunnel

restriction code: Not

Irrelevant

relevant Physical and chemical properties: See section

9 Limited quantities: **14.7 Sea transport in bulk according to IMO**

instruments:

Irrelevant

Irrelevant

Maritime transport of dangerous goods:

CONTINUED ON THE NEXT PAGE



SECTION 14: TRANSPORT INFORMATION (Continued)

In application of IMDG 41-22:

14.1 UN number or identification number:	14.2 UN proper shipping name:	Irrelevant
14.3 Transport hazard class(es):	Labels:	Irrelevant
		Irrelevant
14.4 Packing group:	14.5 Marine pollutant:	Irrelevant
		Not
14.6 Special precautions for user	Special provisions:	Irrelevant
	EmS codes:	
	Physical and chemical properties:	See section 9
	Limited quantities:	
	Segregation class:	14.7 Irrelevant
	Sea transport in bulk	Irrelevant
according to IMO instruments:		Irrelevant

Air transport of dangerous goods:

In application of IATA/ICAO 2024:

14.1 UN number or identification number:	Irrelevant
14.2 UN proper shipping name: 14.3 Transport hazard class(es): Labels:	Irrelevant
	Irrelevant
14.4 Packing group: 14.5 Environmental hazards:	Irrelevant
	Not
14.6 Special precautions for user	Physical and chemical properties: See section 9
14.7 Transport in bulk by sea according to IMO instruments:	Irrelevant

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific to (specific)

substance or mixture concerned: - Regulation

(EC) No. 528/2012: contains a preservative to protect the initial properties of the treated article. Contains 1,2-benzisothiazol-3(2H)-one, Pyrithione zinc, reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1), 3-iodo-2-propynyl Butylcarbamate, 2-methylisothiazol-3(2H)-one.

- Article 95, REGULATION (EU) No 528/2012: 1,2-benzisothiazol-3(2H)-one (2634-33-5) - PT: (2,6,9,11,12,13) ; Pyrithione zinc (13463-41-7) - PT: (2,6,7,9,10,21) ; reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9) - PT: (2,4,6,11,12,13) ; 3-iodo-2-propynyl Butylcarbamate (55406-53-6) - PT: (6,7,8,9,10,13) ; 2-methylisothiazol-3(2H)-one (2682-20-4) - PT: (6,11,12,13)
- Regulation (EU) 2019/1021 on persistent organic pollutants: Not relevant - Regulation (EU) 2024/590 on substances that deplete the ozone layer: Not relevant - REGULATION (EU) No. 649/2012 concerning the export and import of dangerous chemicals: Not relevant - Candidate substances for authorisation in Regulation (EC) 1907/2006 (REACH): Octamethylcyclotetrasiloxane (556-67-2)
- Substances included in Annex XIV to REACH (authorisation list) and with an expiry date: Not relevant

CONTINUED ON THE NEXT PAGE

SECTION 15: REGULATORY INFORMATION (Continued)

Seveso III:

Irrelevant

Restrictions on the marketing and use of certain hazardous substances and mixtures (Annex XVII of the REACH Regulation, etc.): Contains

Octamethylcyclotetrasiloxane. 1. The placing on the market: (a) as a substance on its own; (b) as a constituent of other substances; or (c) in mixtures in a concentration equal to or greater than 0.1 % by weight of that substance after 6 June 2026. 2. It shall not be used as a solvent for dry cleaning of textiles, leather and fur after 6 June 2026. 3. By way of derogation: (a) for D4 and D5 in rinse-off cosmetics, point 1(c) shall apply after 31 January 2020. For the purposes of this point, 'rinse-off cosmetics' means cosmetic products as defined in point (a) of Article 2(1) of Regulation (EC) No 1272/2008. 1223/2009 of the European Parliament and of the Council (*) which, under normal conditions of use, are rinsed off with water after application; (b) for all cosmetic products other than those referred to in point 3(a), paragraph 1 shall apply after 6 June 2027; (c) for devices as defined in Article 1(4) of Regulation (EU) 2017/745 of the European Parliament and of the Council (**) and in Article 1(2) of Regulation (EU) 2017/746 of the European Parliament and of the Council (***), paragraph 1 shall apply after 6 June 2031; (d) for medicinal products as defined in point 2 of Article 1 of Directive 2001/83/EC and for veterinary medicinal products as defined in Article 4(1) of Regulation (EU) 2019/6 of the European Parliament and of the Council (****), paragraph 1 shall apply after 6 June 2031; (e) for D5 as a solvent in the dry cleaning of textiles, leather and fur, paragraphs 1 and 2 shall apply after 6 June 2034. 4. By way of derogation, the following shall be exempted from the provisions of point 1: (a) the placing on the market of D4, D5 and D6 for the following industrial uses: — as a monomer in the production of silicone polymer; — as an intermediate in the production of other silicone substances; — as a monomer in polymerisation; — in the formulation or (re)packaging of mixtures; — in the production of articles; — in the treatment of non-metallic surfaces; (b) the placing on the market of D5 and D6 for use as devices, as defined in Article 1(4) of Regulation (EU) 2017/745, for the treatment and care of scars and wounds, wound prevention and stoma care; (c) the placing on the market of D5 for professional use in the cleaning or restoration of works of art and antiques; (d) the placing on the market of D4, D5 and D6 for use as a laboratory reagent in research and development activities carried out under controlled conditions. 5. By way of derogation, point 1(b) shall not apply to the placing on the market of D4, D5 and D6: — as a constituent of a silicone polymer on its own; — as a constituent of a silicone polymer in a mixture exempted under point (6). 6. By way of derogation, point 1(c) shall not apply to the placing on the market of mixtures containing D4, D5 or D6 as residues of silicone polymers, under the following conditions: (a) D4, D5 or D6 in a concentration of less than or equal to 1 % by weight of that substance in the mixture, for use in adhesives, sealants, bonding and casting products; (b) D4 in a concentration of 0.5% or less by weight or D5 or D6 in a concentration of 0.3% or less by weight of any substance in the mixture for use as protective coatings (including for marine use); (c) D4, D5 or D6 in a concentration of 0.2% or less by weight of that substance in the mixture for use as devices as defined in Article 1(4) of Regulation (EU) 2017/745 and Article 1(2) of Regulation (EU) 2017/746, other than devices referred to in point 6(d); (d) D5 in a concentration of 0.3% or less by weight in the mixture or D6 in a concentration of 1% or less by weight in the mixture, for use as devices as defined in Article 1(4) of Regulation (EU) 2017/745, for dental casts; (e) D4 in a concentration of 0.2% or less by weight in the mixture or D5 or D6 in a concentration of 1% or less by weight of any substance in the mixture for use as horse insoles or horseshoes; (f) D4, D5 or D6 in a concentration of 0.5% or less by weight of that substance in the mixture, for use as an adhesive activator; (g) D4, D5 or D6 in a concentration of 1% or less by weight of that substance in the mixture, for use in 3D printing; (h) D5 in a concentration of 1% or less by weight in the mixture or D6 in a concentration of 3% or less by weight in the mixture, for rapid prototyping and mold making or for high-performance applications using quartz primers as a stabilizer; (i)

D5 or D6 in a concentration of 1% or less by weight of any substance in the mixture, for use in printing plates or in the manufacture of printing plates; (j) D6 in a concentration of 1% or less by weight of the mixture, for professional use in the cleaning or restoration of works of art and antiques. 7. By way of derogation, points 1 and 2 shall not apply to the placing on the market for use or the use of D5 as a solvent in strictly controlled closed dry cleaning systems for textiles, leather and fur, where the cleaning solvent is recycled or incinerated.

Particular provisions in the field of protection of persons or the environment: It is recommended to

use the data collected in this safety data sheet as input data in a risk assessment of local circumstances, in order to establish the necessary measures to prevent risks for the handling, use, storage and disposal of this product.

Other legislation:

Law no. 360/2003 on the regime of dangerous chemical substances and preparations
Law no. 349/2007 on the reorganization of the institutional framework in the field of chemical substances management

CONTINUED ON THE NEXT PAGE

SECTION 15: REGULATORY INFORMATION (Continued)

Law no. 249/2011 amending art. 4 of Law no. 349/2007 on the reorganization of the institutional framework in the field of chemical substances management Government Decision no. 477/2009 on establishing the sanctions applicable for violating the provisions of Regulation (EC) no. 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) no. 793/93 and Regulation (EC) no. 1488/94 of the Commission, as well as of Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC Law no. 254/2011 amending art. 26 of Law no. 360/2003 on the regime of dangerous chemical substances and preparations Government Decision no. 662/2011 repealing Government Decision no. 347/2003 on restrictions on the placing on the market and use of certain dangerous substances and preparations Emergency Ordinance no. 60/2013 supplementing art. 4 para. (1) of Law no. 349/2007 on the reorganization of the institutional framework in the field of chemical substances management Decision no. 1218/2006 on establishing minimum occupational health and safety requirements to ensure the protection of workers against risks related to the presence of chemical agents Law no. 319/2006 Occupational Health and Safety Law Emergency Ordinance 1/2021 amending and supplementing Law no. 249/2015 on the management of packaging and packaging waste Emergency Ordinance 92/2021 on the waste regime, with subsequent amendments and completions Emergency Ordinance no. 122/2010 on establishing the sanctions applicable for violating the provisions of Regulation (EC) no. 1272/2008 on the classification, labeling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, as well as amending Regulation (EC) no. 1907/2006 Government Decision no. 398/2010 on establishing measures for the application of the provisions of Regulation (EC) no. 1272/2008 on the classification, labeling and packaging of substances and mixtures **15.2 Chemical safety assessment:** The supplier did not carry out the chemical safety assessment

SECTION 16: OTHER INFORMATION

Applicable law:

This safety data sheet has been prepared in accordance with Annex II-Guidance for the preparation of safety data sheets of Regulation (EC) No 1907/2006 (COMMISSION REGULATION (EU) 2020/878)

Changes compared to the previous safety data sheet, affecting risk management measures:

Irrelevant

Texts of the regulatory phrases presented in section 3: The

phrases mentioned do not refer to the product itself, they are for information only and refer to the individual components that appear in section 3 **Regulation No.**

1272/2008 (CLP): Acute Tox. 2: H310+H330

- Fatal in contact with skin or if inhaled.

Acute Tox. 3: H301 - Toxic if swallowed.

Acute Tox. 4: H302 - Harmful if swallowed.

Aquatic Acute 1: H400 - Very toxic to aquatic life.

Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects.

Eye Dam. 1: H318 - Causes serious eye damage.

Skin Corr. 1C: H314 - Causes severe skin burns and eye damage.

Skin Irrit. 2: H315 - Causes skin irritation.

Skin Sens. 1: H317 - May cause an allergic skin reaction.

Skin Sens. 1A: H317 - May cause an allergic skin reaction.

Classification procedure: Not

relevant

Advice on professional training: A minimum training for

the prevention of professional risks is recommended for the personnel who will handle this product, in order to facilitate the content and interpretation of the data of this safety data sheet, as well as the labeling of the product.

References to literature and data sources: <http://echa.europa.eu> <http://eur-lex.europa.eu>

**Abbreviations and
acronyms:**

CONTINUED ON THE NEXT PAGE



Safety Data Sheet
According to COMMISSION REGULATION (EU) 2020/878

MONTO - LUXATIN ECOLOGICO SATINADO GRIS AZULADO 501904_182

SECTION 16: OTHER INFORMATION (Continued)

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road
IMDG: International Maritime Dangerous Goods Code
IATA: International Air Transport Association
ICAO: International Civil Aviation Organization
COD: chemical oxygen demand
BOD5: Biological oxygen demand for 5 days
BCF: bioconcentration factor
LD50: lethal dose 50
LC50: lethal concentration 50
EC50: Effective concentration 50
Log Pow: log octanol partition coefficient
Koc: partition coefficient of organic carbon
DNEL: Derived No Effect Level
PNEC: Predicted No Effect Concentration
UFI: Unique Formula Identifier
IARC: International Agency for Research on Cancer

The information contained in this safety data sheet is based on sources, technical knowledge and existing legislation at European and national level and its accuracy cannot be guaranteed. This information cannot be considered as a guarantee of the properties of the product, it is simply a description in terms of safety requirements. The methodology and working conditions of the users of this product are beyond our knowledge and control, and it is always the final responsibility of the user to take the necessary measures to adapt to the legislative requirements regarding the handling, storage, use and disposal of chemical products. The information in this safety data sheet refers only to this product, which should not be used for purposes other than those specified.

COMPLETION OF THE SAFETY DATA SHEET